

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(710/330).CCLS.	USPAT; USOCR	OR	OFF	2005/11/01 16:09
L2	236	(719/330).CCLS.	USPAT; USOCR	OR	OFF	2005/11/01 16:09
L3	0	1 & ( match\$3 or mismatch\$3 or dissimilar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L4	0	1 & ( resolv\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L5	0	1 & ( solv\$3 with typ\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L6	96	2 & ( match\$3 or mismatch\$3 or dissimilar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L7	5	2 & ( match\$3 or mismatch\$3 or dissimilar\$3) same (resolv\$3 or solv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
S1	658	(719/310,330).CCLS.	USPAT; USOCR	OR	OFF	2005/10/31 14:29
S2	138	S1 & ( ( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3))	USPAT	OR	OFF	2005/10/31 15:01
S3	3	S1 & ( ( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3) same resolv\$3 )	USPAT	OR	OFF	2005/10/31 14:38
S4	1	S1 & ( ( match\$3 or mismatch\$3) with resolv\$6 same (id or identif\$6 or select\$3 or determin\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:01

S5	1489	(( match\$3 or mismatch\$3) with resolv\$6 same (id or identif\$6 or select\$3 or determin\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:40
S6	48	(( match\$3 or mismatch\$3) with resolv\$6 same (id or identif\$6 or select\$3 or determin\$3) same class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:40
S7	9	(( match\$3 or mismatch\$3) with resolv\$6 same (id or identif\$6 or select\$3 or determin\$3) same class\$3 same typ\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:42
S8	15	(( match\$3 or mismatch\$3) same resolv\$6 with (id or identif\$6 or select\$3 or determin\$3) same class\$3 same typ\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:58
S9	8	(( match\$3 or mismatch\$3) same resolv\$6 with identif\$6 same class\$3 same typ\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:58
S10	16	(( match\$3 or mismatch\$3) same resolv\$6 with identif\$6 same class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:00
S11	65	(( match\$3 or mismatch\$3) same resolv\$6 same identif\$6 same class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:00
S12	1489	(( match\$3 or mismatch\$3) with resolv\$6 same (id or identif\$6 or select\$3 or determin\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:10

S13	755	(( match\$3 or mismatch\$3) with resolv\$6 with (id or identif\$6 or select\$3 or determin\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:01
S14	15	(( match\$3 or mismatch\$3) with resolv\$6 with (id or identif\$6 or select\$3 or determin\$3) same class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:02
S15	63	(( match\$3 or mismatch\$3) with resolv\$6 same class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:08
S16	15	(( match\$3 or mismatch\$3) with resolv\$6 same class\$3 same typ\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:04
S17	63	(( match\$3 or mismatch\$3) with resolv\$6 same class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:05
S18	1	S1 & (( match\$3 or mismatch\$3) same resolv\$6 same class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:08
S19	20080	(( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3) & resolv\$3 & class\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:10
S20	11515	(( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3) same ( class\$3 or type\$3)& resolv\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:11

S21	908	(( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3) same ( class\$3 or type\$3) same resolv\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:11
S22	4	(( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3) same ( class\$3 or type\$3) same resolv\$3 same dissimilar\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:12
S23	240	(( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3) same ( class\$3 or type\$3) same dissimilar\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:12
S24	0	S1 & (( match\$3 or mismatch\$3) same (id or identif\$6 or select\$3 or determin\$3) same ( class\$3 or type\$3) same dissimilar\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:13
S25	31737	(( match\$3 or mismatch\$3 or disssimilar\$3 or similar\$3 ) same (id or identif\$6 or select\$3 or determin\$3) same ( class\$3 or type\$3) & resolv\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:16
S26	22	S1 & (( match\$3 or mismatch\$3 or disssimilar\$3 or similar\$3 ) same (id or identif\$6 or select\$3 or determin\$3) same ( class\$3 or type\$3) & resolv\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:27
S27	4	S1 & (( match\$3 or mismatch\$3 or disssimilar\$3 or similar\$3 ) same resolv\$3 same (id or identif\$6 or select\$3 or determin\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:28
S28	9	S1 & (( match\$3 or mismatch\$3 or disssimilar\$3 ) same resolv\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:29

S29	11	(( match\$3 or mismatch\$3 or disssimilar\$3 ) same resolv\$3 same class\$3 ).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:30
S30	675	(( match\$3 or mismatch\$3 or disssimilar\$3 ) same resolv\$3 ).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:30
S31	7	(( match\$3 or mismatch\$3 or disssimilar\$3 ) same resolv\$3 & orient\$3 ).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:34
S32	99	(( match\$3 or mismatch\$3 or disssimilar\$3 ) same resolv\$3 same ( type\$3 or parameter\$3 or attribut\$3 ) ).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:35
S33	49	(( match\$3 or mismatch\$3 or disssimilar\$3 ) with resolv\$3 same ( type\$3 or parameter\$3 or attribut\$3 ) ).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:52
S34	14	S33 & implement\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:36
S35	11	(( match\$3 or mismatch\$3 or disssimilar\$3 ) with resolv\$3 same implement\$3 ).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:53
S36	134	(( match\$3 or mismatch\$3 or disssimilar\$3 ) with resolv\$3 same implement\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:55

S71	19	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) same ( client\$3 or server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:05
S72	7	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) same call\$3 & ( client\$3 or server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:06
S73	2	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) same ( function near2 call\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:07
S74	0	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) same ( call\$3 with implement\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:08
S75	19	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) & ( call\$3 with implement\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:12
S76	34	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) & ( API )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:16
S77	3405	("719").CLAS.	USPAT; USOCR	OR	OFF	2005/11/01 10:16
S78	2	S66 & S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:21
S79	8	S65 & S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:20

S80	5394	("717").CLAS.	USPAT; USOCR	OR	OFF	2005/11/01 10:20
S81	1	S66 & S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:21
S82	8	S65 & S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:22
S83	240	( match\$3 or mismatch\$3 or dissimilar\$3) with ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:45
S84	16	( match\$3 or mismatch\$3 or dissimilar\$3) with ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) same typ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:46
S85	0	( match\$3 or mismatch\$3 or dissimilar\$3) with ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) same ( object\$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:47
S86	6	( match\$3 or mismatch\$3 or dissimilar\$3) with ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) & ( object\$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:53
S87	16	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) with (identif\$6 or detect\$6 or check\$3) with ( resolv\$3 or solv\$6) & ( object\$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:55
S88	92	( match\$3 or mismatch\$3 or dissimilar\$3) same ( receiv\$3 or send\$3 or transfer\$3 or transmit\$6) same (identif\$6 or detect\$6 or check\$3) same ( resolv\$3 or solv\$6) & ( object\$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:17

S89	56	( match\$3 or mismatch\$3 or dissimilar\$3) same type\$1 same class\$1 same ( object\$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:10
-----	----	--	---	----	-----	------------------